

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	("6052468").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 00:33
L6	7	("4386233" "5495533" "5719938" "5768387" "5774525" "5774551" "5841970").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/01 00:39
L7	7	(authenticat\$3 authorizat\$3 mechanism policy method procedure technique operation process choice choos\$3 alternative select\$3 option multiple access\$3 \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key) and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 00:41
L8	7	(authenticat\$3 authorizat\$3 mechanism policy method procedure technique operation process choice choos\$3 alternative select\$3 option multiple access\$3 \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key smart card user\$4 biometric finger retina scan\$4 ID identi\$8 password) and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:22
L9	1173	726/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:23
L10	166	726/17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:24
L11	316	726/27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:24
L12	217	726/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:25

EAST Search History

L13	2262	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:25
L14	3229	711/147-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:26
L15	1501	713/155-159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 01:26
S1	1011	713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 17:20
S2	58	380/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 17:20
S3	195	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 17:20
S4	1	09/846175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 00:25
S5	26374	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:16
S6	1564	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:14

EAST Search History

S7	13324	(security near3 idenfit\$6) SID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 00:34
S8	16	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenfit\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 00:36
S9	1020	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 00:36
S10	9	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenfit\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:10
S11	1956	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:38
S12	9	NTLM and SSL and Digest and Kerberos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:16
S13	607	(authenticat\$3 authorizat\$3) near3 (selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:18
S14	148	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:16

EAST Search History

S15	32	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:56
S16	109	((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 15:35
S17	77	((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:56
S18	2808	(authenticat\$3 authorizat\$3) near3 (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:17
S19	2217	((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:17
S20	447	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:17
S21	405	(authenticat\$3 authorizat\$3) near2 (selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:26

EAST Search History

S22	202	((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:18
S23	32	((((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:19
S24	22	(((((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:19
S25	22	(((((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:22
S26	1942	((authenticat\$3 authorizat\$3) near2 (select\$3 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:30
S27	53	((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:30

EAST Search History

S28	10	((((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:37
S29	29	GSS-API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/16 16:37
S30	29	(authenticat\$3 authorizat\$3 mechanism policy method procedure technique operation process choice choos\$3 alternative select\$3 option multiple access\$3 \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key) and GSS-API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 00:39
S31	16247	(multiple second other another multilevel multi-level different) with (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) with (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:47
S32	5734	(multiple second other another multilevel multi-level different) near3 (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) near3 (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:48
S33	1764	(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:44
S34	18419	(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:49
S35	127	(2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:45

EAST Search History

S36	11	((authenticat\$3 authoriz\$5 verif\$6) adj level) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:55
S37	0	("458718A2").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/17 14:55
S38	3	0458718A2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:59
S39	0	0458718A2.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 14:59
S40	1	"0458718".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:00
S41	0	0458718A2.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:00
S42	0	"Method for Controlling Public Access to a Plurality of Data Objects within a Data Processing System"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:00
S43	3	Method with Controlling with Public with Access with Data adj Objects with Data adj Processing adj System	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:03
S44	6279	(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:44

EAST Search History

S45	155	(2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:46
S46	42	((2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:06
S47	129	(2nd second plurality multiple another many) near2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:48
S48	124	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 15:48
S49	27	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 17:19
S52	207	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S53	59	380/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S54	1159	713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S55	34	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19

EAST Search History

S56	159	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S57	21173	(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S58	21173	(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S59	2041	(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S60	6558	(multiple second other another multilevel multi-level different) near3 (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) near3 (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S61	18337	(multiple second other another multilevel multi-level different) with (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) with (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S62	1	09/846175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S63	31145	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S64	1901	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19

EAST Search History

S65	14434	(security near3 idenf\$6) SID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S66	17	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenf\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S67	1266	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S68	10	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenf\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S69	2366	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S70	9	NTLM and SSL and Digest and Kerberos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S71	710	(authenticat\$3 authorizat\$3) near3 (selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
S72	170	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

EAST Search History

S73	37	((((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S74	124	((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S75	87	((((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S76	3301	(authenticat\$3 authorizat\$3) near3 (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S77	2609	((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S78	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S79	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

EAST Search History

S80	471	(authenticat\$3 authorizat\$3) near2 (selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S81	239	((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S82	35	((((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S83	24	(((((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S84	26	(((((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S85	2283	(authenticat\$3 authorizat\$3) near2 (select\$3 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

EAST Search History

S86	63	((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S87	11	((((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
S88	34	(authenticat\$3 authorizat\$3 mechanism policy method procedure technique operation process choice choos\$3 alternative select\$3 option multiple access\$3 \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key) and GSS-API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S89	18337	(multiple second other another multilevel multi-level different) with (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) with (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S90	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S91	2041	(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S92	147	(2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S93	11	((authenticat\$3 authoriz\$5 verif\$6) adj level) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22

EAST Search History

S94	3	Method with Controlling with Public with Access with Data adj Objects with Data adj Processing adj System	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S95	7476	(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S96	191	(2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
S97	51	((2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
S98	159	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
S99	34	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
S10 0	4548	(authenticat\$3 near3 (method mechanism)) same (access\$3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
S10 1	3027	(authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
S10 2	255	(authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:25

EAST Search History

S10 3	9	(pluralit\$ many serveral multiple) near3 (authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:26
S10 4	220	(multiple plurality) with (authentication) with (identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:58
S10 5	0	(multiple plurality) with (authentication) with (identifier) and @ay <=S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:58
S10 6	86	(multiple plurality) with (authentication) with (identifier) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:00
S10 7	99	(multiple plurality) adj10 (authentication) adj10 (method mechanism) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:01
S10 8	99	(2nd second plurality multiple another many authenticat\$3 mechanism method authenticat\$3 mechanism method \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key ident\$8) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:08